


1.		SCR098S-054
2.	- - -	() 467-12 24 2009.08.06 – 2009.08.06
3.	- -	() 467-12 24
4.		
5.	- - - -	Ethernet Switch P3508FG 220 V~ 60 Hz -
6.	/	
7.	- -	25.0 55 % R.H.

	: ()	: 
--	-------	---

- 가
As a test result of sample which was submitted from the client, this test report dose not guarantees the whole product quality.

- 90
The test report should not be used for public relations, advertisement, conduct propaganda and raised for a suit without a written agreement of testing institute , and should not be used for various purposes besides subscribed use, and is valid for 90 days from date of issue.

- The copy of this test report is invalid for use.

- 가
This test report including test result conducted by using the test method which was suggested from a client.

2009 08 06

799 가 702
TEL. (031)420-5680 FAX. (031)420-5685



- () - : 220 V~ 60 Hz - : U5024A - : P3508FG						
(V)	(W)	(mA)	(Wh)	(Var)	(VA)	(PF)
220 V~ 60 Hz	10.05	108	9.99	21.62	23.84	0.422
1, . 2, 가 . 3, 1 1 . - -						

	<ul style="list-style-type: none"> - () - : 242 V~ 60 Hz - : 1.1 - : P3508FG
--	---

	1	(mA)	(mA)	
Live to Output	On	0.11	3.5	Class I
Neutral to Output	On	0.11	3.5	Class I

1, .

2, 가 .

- -

* Setting

